# Chapter: Chapter 01 - Quiz

### **Multiple Choice**

- 1. Java programmers define their own exceptions by \_\_\_\_\_\_ the library's Exception class.
- A) throwing
- B) raising
- C) implementing
- D) extending
- E) None of these is correct.

Ans: D

Complexity: Moderate

Ahead: Exceptional Situations

Subject: Chapter 1

- 2. Which of the following represents "exponential" time?
- A) O(2N)
- B) O(N<sup>2</sup>)
- C)  $O(2^{N})$
- D) O(N<sub>9</sub>)
- E) None of these is correct.

Ans: C

Complexity: Easy

Ahead: Comparing Algorithms: Order of Growth Analysis

Subject: Chapter 1

- 3. The order of growth efficiency of the function  $3N^3 + 17N^2$  is:
- A) O(3N).
- B)  $O(3N^3)$ .
- C) O(17).
- D) O(N<sup>2</sup>).
- E) None of these is correct.

Ans: E

Complexity: Easy

Ahead: Comparing Algorithms: Order of Growth Analysis

- 4. A protected variable:
- 1) is only visible inside the class within which it is defined.
- 2) cannot be changed.
- 3) can be read from anywhere but can only be changed by code inside the class within which it is defined.
- 4) can be changed by code in another class.
- 5) is visible inside the class within which it is defined, or within its package, or within classes derived from its class.
- <Answer: 5>
- <Complexity: Easy>
- <A-head: Classes, Objects, and Applications>
- <Subject: Chapter 1>

https://ebookyab.ir/solution-manual-test-bank-object-oriented-data-structures-using-java-dale-joyce/

Email: ebookyab.ir@gmail.com, Phone:+989359542944 (Telegram, WhatsApp, Eitaa)

- 5. Polymorphism means:
- 1) many objects can be instantiated from a single class definition.
- 2) an object variable might reference objects of different classes at different times.
- 3) methods like toString can be defined in many different classes.
- 4) a class can extend multiple other classes.
- 5) None of these is correct.
- <Answer: 2>
- <Complexity: Moderate>
- <A-head: Organizing Classes>
- <Subject: Chapter 1>
- 6. When handling an exception explicitly, it is best to do so:
- 1) at the lowest level of abstraction that can recover from the error.
- 2) at the highest level of abstraction possible.
- 3) as soon as the exception is discovered.
- 4) in the main program.
- 5) None of these is correct.
- <Answer: 1>
- <Complexity: Moderate>
- <A-head: Exceptional Situations>
- <Subject: Chapter 1>
- 7. This structure is the best model for describing the chapters and sections and subsections of a textbook.
- 1) Array
- 2) Map
- 3) Stack
- 4) Queue
- 5) Tree
- <Answer: 5>
- <Complexity: Easy>
- <A-head: Data Structures>
- <Subject: Chapter 1>
- 8. In Java, method arguments are passed by:
- 1) value.
- 2) reference.
- 3) creating a copy of the argument and passing it.
- 4) using an array.
- 5) None of these is correct.
- <Answer: 1>
- <Complexity: Moderate>
- <A-head: Basic Structuring Mechanisms>
- <Subject: Chapter 1>
- 9. Put these order of growth efficiency functions in order from most efficient to least efficient: n<sup>3</sup>, 2<sup>n</sup>, n<sup>2</sup>log<sub>2</sub>n,
- $n^2$ , 1,  $n^7$
- 1) 1, n<sup>2</sup>log<sub>2</sub>n, n<sup>2</sup>, n<sup>3</sup>, 2<sup>n</sup>, n<sup>7</sup>
- 2) n<sup>3</sup>, 2<sup>n</sup>, n<sup>2</sup>log<sub>2</sub>n, n<sup>2</sup>, 1, n<sup>7</sup>

https://ebookyab.ir/solution-manual-test-bank-object-oriented-data-structures-using-java-dale-joyce/

- Email: ebookyab.ir@gmail.com, Phone:+989359542944 (Telegram, WhatsApp, Eitaa)
  - 3) 1, n<sup>2</sup>log<sub>2</sub>n, n<sup>2</sup>, n<sup>3</sup>, n<sup>7</sup>, 2<sup>n</sup>
  - 4) 1, n<sup>2</sup>, n<sup>2</sup>log<sub>2</sub>n, n<sup>3</sup>, n<sup>7</sup>, 2<sup>n</sup>
  - 5) None of these is correct.
  - <Answer: 4>
  - <Complexity: Difficult>
  - < A-head: Comparing Algorithms: Order of Growth Analysis>
  - <Subject: Chapter 1>
  - 10. What are the two basic structuring mechanisms described in the text?
  - 1) The reference and the array
  - 2) The array and the primitive variable
  - 3) The stack and the queue
  - 4) Objects and classes
  - 5) None of these is correct.
  - <Answer: 1>
  - <Complexity: Moderate>
  - <A-head: Basic Structuring Mechanisms>
  - <Subject: Chapter 1>
  - 11. This Java statement is used to "announce" that an exception has occurred.
  - 1) Throw
  - 2) Raise
  - 3) Catch
  - 4) Try
  - 5) None of these is correct.
  - <Answer: 1>
  - <Complexity: Moderate>
  - <A-head: Exceptional Situations>
  - <Subject: Chapter 1>
  - 12. Direct addressing is to indirect addressing as (indicate the best match):
  - 1) subclass is to superclass.
  - 2) primitive variable is to reference variable.
  - 3) memory address is to memory address contents.
  - 4) constant is to variable.
  - 5) public is to private.
  - <Answer: 2>
  - <Complexity: Moderate>
  - <A-head: Basic Structuring Mechanisms>
  - <Subject: Chapter 1>
  - 13. This structure is the best model for a group of customers waiting to check out in a grocery store.
  - A) Array
  - B) Map
  - C) Stack
  - D) Queue
  - E) Tree

Ans: D

Complexity: Easy Ahead: Data Structures Subject: Chapter 1

#### True/False

14. True or False? The following code results in garbage being created.

```
Circle c1 = new Circle(8);
Circle c2;
```

Ans: False

Complexity: Moderate

Ahead: Basic Structuring Mechanisms

Subject: Chapter 1

15. True or False? The following code results in garbage being created.

```
Circle c1 = new Circle(8);
Circle c2;
c2 = c1;
```

Ans: False

Complexity: Moderate

Ahead: Basic Structuring Mechanisms

Subject: Chapter 1

16. Java supports single inheritance only, i.e., a class can only directly inherit from a single superclass.

<Answer: True> <Complexity: Easy>

<A-head: Organizing Classes>

<Subject: Chapter 1>

17. It is usually better for a program to "bomb" than to produce erroneous results.

<Answer: True> <Complexity: Easy>

<A-head: Exceptional Situations>

<Subject: Chapter 1>

18. A tree child element can only have a single parent.

<Answer: True>
<Complexity: Easy>
<A-head: Data Structures>
<Subject: Chapter 1>

19.  $(N + 1)(3N^3 + 5N^2 + 27N + 17)$  is  $O(N^4)$ 

<Answer: True> <Complexity: Easy>

< A-head: Comparing Algorithms: Order of Growth Analysis>

<Subject: Chapter 1>

20. A private variable cannot be accessed from anywhere.

<Answer: False>

<Complexity: Easy> < A-head: Classes, Objects, and Applications > <Subject: Chapter 1> 21. A class definition can be used to create multiple objects. <Answer: True> <Complexity: Easy> <A-head: Classes, Objects, and Applications> <Subject: Chapter 1> 22. A queue is a first in, first out structure. <Answer: True> <Complexity: Easy> <A-head: Data Structures> <Subject: Chapter 1> 23. A tree element can only have one successor. <Answer: False> <Complexity: Easy> <A-head: Data Structures> <Subject: Chapter 1> 24. True or False? The Unified Method was the brainchild of a single software engineer, Grady Booch. Ans: False Complexity: Easy Ahead: Classes, Objects, and Applications Subject: Chapter 1 25. True or False? Subclasses are assignment compatible with the superclasses above them in the inheritance hierarchy. Ans: True Complexity: Moderate Ahead: Organizing Classes Subject: Chapter 1 **Short Answer** 26. Java programmers define their own exceptions by \_\_\_\_\_\_ the library's Exception class. Ans: extending Complexity: Moderate Ahead: Exceptional Situations Subject: Chapter 1 27. The array and the \_\_\_\_\_ act as building blocks for many other structures. Ans: linked list Complexity: Moderate Ahead: Data Structures

Subject: Chapter 1	
28. A(n) data structure is made up of a set of elements, usually called nodes or vertice	ces,
and a set of edges that connect the vertices, with no restrictions on the connections between the eleme	
Ans: graph	
Complexity: Moderate	
Ahead: Data Structures	
Subject: Chapter 1	
29. O(n) is called time.	
Ans: linear	
Complexity: Easy	
Ahead: Comparing Algorithms: Order of Growth Analysis	
Subject: Chapter 1	
30. O(n²) is called time.	
Ans: quadratic	
Complexity: Easy	
Ahead: Comparing Algorithms: Order of Growth Analysis	
Subject: Chapter 1	
31. O(log <sub>2</sub> n) is called time.	
Ans: logarithmic	
Complexity: Easy	
Ahead: Comparing Algorithms: Order of Growth Analysis	
Subject: Chapter 1	
32. The Award was presented to Nygaard and Dahl in 2001 for their seminal work	on
object-orientation.	
<answer: turing=""></answer:>	
<complexity: moderate=""></complexity:>	
<a-head: and="" applications="" classes,="" objects,=""></a-head:>	
<subject: 1="" chapter=""></subject:>	
33. In Java, the class is the root of the inheritance tree.	
<pre><answer: object=""></answer:></pre>	
<complexity: moderate=""></complexity:>	
<a-head: classes="" organizing=""></a-head:>	
<subject: 1="" chapter=""></subject:>	
34. The method of the Object class returns a string representing some of the inte	rnal
system implementation details of the object.	
<pre><answer: tostring=""></answer:></pre>	
<complexity: difficult=""></complexity:>	
<a-head: classes="" organizing=""></a-head:>	
<subject: 1="" chapter=""></subject:>	
35. Using the IncDate class defined in the text, the output from the following code is	

```
Date date1 = new IncDate(1, 2, 2005);
Date date2 = new IncDate(1, 2, 2005);
date1 = date2;
date1.increment();
if (date1 == date2)
  System.out.println("equal");
}
else
  System.out.println("not equal");
Ans: equal
Complexity: Moderate
Ahead: Basic Structuring Mechanisms
Subject: Chapter 1
36. O(2<sup>n</sup>) is called _____ time.
Ans: exponential
Complexity: Easy
Ahead: Comparing Algorithms: Order of Growth Analysis
Subject: Chapter 1
37. In the best case, a sequential search of an array with 1,000 elements requires this many comparisons:
Ans: 1
Complexity: Difficult
Ahead: Comparing Algorithms: Order of Growth Analysis
Subject: Chapter 1
38. When we assign one object to another object, using =, we say we have created a(n) for
the object.
Ans: alias
Complexity: Moderate
Ahead: Basic Structuring Mechanisms
Subject: Chapter 1
```

### **Essay**

39. What are the three key elements featured by the Unified Method, as described in the text? Ans: It is use-case driven. It is architecture-centric. It is iterative and incremental. Complexity: Difficult

Ahead: Classes, Objects, and Applications

Subject: Chapter 1

40. Explain the statement: "Subclasses are assignment compatible with the superclasses above them in the inheritance hierarchy."

Ans: This means that an object of the subclass can be assigned to a variable that is declared to be of the superclass type. The subclass object is a superclass object, but not the other way around.

Complexity: Difficult

Ahead: Organizing Classes

Subject: Chapter 1

41. Describe how/when garbage is created.

Ans: Garbage is created when the last reference to an object from within an application is removed due to reassignment. If there are no useable references to an object, then it cannot be accessed and is garbage.

Complexity: Difficult

Ahead: Basic Structuring Mechanisms

Subject: Chapter 1

42. Describe an important difference between how Java handles primitive variables, such as int, and non-primitive variables, such as String.

Ans: Primitive variables are handled "by value," meaning that a variable of a primitive type holds the value of the variable. Non-primitive variables are handled "by reference," meaning that a variable of a non-primitive type holds a reference to the value of the variable; i.e., it holds the address where you can find the value associated with the variable.

Complexity: Difficult

Ahead: Basic Structuring Mechanisms

Subject: Chapter 1

43. Write a section of code that declares a ten-element array of Date named calendar and then uses a loop to instantiate and initialize the elements, in order, to December 1 through 10 of 2015.

Ans:

```
Date[] calendar = new Date[10];
for (int i = 0; i < 10; i++)
    calendar[i] = new Date(12, i + 1, 2015);</pre>
```

Complexity: Difficult

Ahead: Basic Structuring Mechanisms

Subject: Chapter 1

44. For what purpose are constructor methods used?

Ans: To create new instances of the class – that is, to instantiate objects of the class.

Complexity: Moderate

Ahead: Classes, Objects, and Applications

Subject: Chapter 1

2. Describe some of the advantages of Java packages.

Ans: They let us organize our files. They can be compiled separately and imported into our programs. They make it easier for programs to use common class files. They help us avoid naming conflicts.

Complexity: Difficult

Ahead: Organizing Classes

Subject: Chapter 1

45. What are the three major parts (actions that can be taken) of the Java exception mechanism?

Ans: Exceptions can be defined, raised or generated, and handled.

Complexity: Difficult

Ahead: Exceptional Situations

# **Multiple Choice**

- 1. When defining and initializing a final variable within a class, it usually makes sense to make the variable:
- [1] private.
- [2] protected.
- [3] overridden.
- [4] garbage.
- [5] static.
- <Answer: 5>
- <A-head: Classes, Objects, and Applications>

# **Multiple Choice**

- 2. Inheritance is:
- [1] an organizational mechanism.
- [2] a reuse mechanism.
- [3] a means to create a new class from an existing class.
- [4] a way to define an "is-a" hierarchy of classes.
- [5] All of these are correct.
- <Answer: 5>
- <A-head: Organizing Classes>

# **Multiple Choice**

- 3. To prevent a raised exception from causing an application to "bomb," the exception must be:
- [1] thrown.
- [2] raised.
- [3] caught.
- [4] ignored.
- [5] instantiated.
- <Answer: 3>
- <A-head: Exceptional Situations>

# **Multiple Choice**

- 4. Which of the following structures did we classify as "non-linear"?
- [1] Array
- [2] Stack
- [3] Queue
- [4] Sorted List
- [5] Tree
- <Answer: 5>
- < A-head: Data Structures

# **Multiple Choice**

- 5. This structure is also known as a dictionary.
- [1] Array
- [2] Map
- [3] Stack
- [4] Queue
- [5] Tree
- <Answer: 2>
- <A-head: Data Structures>

# **Multiple Choice**

- 6. A variable in our program represents:
- [1] an array.
- [2] an object.
- [3] a constant value.
- [4] a memory location.
- [5] None of these is correct.
- <Answer: 4>
- <A-head: Basic Structuring Mechanisms>

### **Multiple Choice**

- 7. The two types of algorithm efficiency studied by computer scientists are:
- [1] sequential and binary.
- [2] best and worst case.
- [3] time and space.
- [4] references and arrays.
- [5] None of these is correct.
- <Answer: 3>
- < A-head: Comparing Algorithms: Order of Growth Analysis>

### True/False

- 8. True or False? The first object-oriented language was created in the 1990s.
- <Answer: False>
- <A-head: Classes, Objects, and Applications>

#### True/False

- 9. True or False? Classes use applications to solve problems.
- <Answer: False>
- <A-head: Classes, Objects, and Applications>

#### True/False

10. True or False? A class that contains a main method is called a Java application.

<Answer: True>

<A-head: Classes, Objects, and Applications>

#### True/False

11. True or False? Constructors are classified as observer methods.

<Answer: False>

<A-head: Classes, Objects, and Applications>

#### True/False

12. True or False? A package can be split among several files.

<Answer: True>

<A-head: Organizing Classes>

#### True/False

13. True or False? If class1 inherits from class2, we say that class1 is the subclass and class2 is the superclass.

<Answer: True>

<A-head: Organizing Classes>

### True/False

14. True or False? A subclass can redefine features inherited from its superclass.

<Answer: True>

<A-head: Organizing Classes>

#### True/False

15. True or False? If the Java compiler cannot find a method defined in an object's class definition, it will look in the definition of the class's subclasses.

<Answer: False>

<A-head: Organizing Classes>

# True/False

16. True or False? When handling an exception explicitly, it is best to do so at the highest level of abstraction possible.

<Answer: False>

<A-head: Exceptional Situations>

### True/False

17. True or False? Thrown exceptions are always fatal (i.e., the program will stop running).

<Answer: False>

<A-head: Exceptional Situations>

### True/False

18. True or False? In Java, exceptions that are not handled explicitly in the program are thrown out to the interpreter.

<Answer: True>

<A-head: Exceptional Situations>

#### True/False

19. True or False? A method should test that its preconditions are met and, if not, throw an exception.

<Answer: False>

<A-head: Exceptional Situations>

#### True/False

20. True or False? A stack is a first in, first out structure.

<Answer: False>

<A-head: Data Structures>

### True/False

21. True or False? An alias is when we have two objects of the same class.

<Answer: False>

<A-head: Basic Structuring Mechanisms>

#### True/False

22. True or False? An alias is when we have two variables referring to the same object.

<Answer: True>

<A-head: Basic Structuring Mechanisms>

### True/False

23. True or False? The Java run time environment systematically removes garbage from the system.

<Answer: True>

<A-head: Basic Structuring Mechanisms>

#### True/False

24. True or False? All Java method arguments are passed "by value."

<Answer: True>

<A-head: Basic Structuring Mechanisms>

# True/False

25. True or False?  $N^3 + 4N$  is O(4N).

<Answer: False>

< A-head: Comparing Algorithms: Order of Growth Analysis>

### True/False

26. True or False?  $3N^3 + 5N^2 + 27N + 17$  is  $O(N^3)$ .

<Answer: True>

< A-head: Comparing Algorithms: Order of Growth Analysis>

# True/False

27. True or False?  $N^5 + 3N^3 + 27NLog_2N + 17$  is  $O(NLog_2N)$ .

<Answer: False>

< A-head: Comparing Algorithms: Order of Growth Analysis>

# True/False

28. True or False?  $3N^4 + 5N^3 + 27N + 17$  is O(N).

<Answer: False>

<A-head: Comparing Algorithms: Order of Growth Analysis>

Import Settings:

Base Settings: Brownstone Default Information Field: Complexity Information Field: Ahead Information Field: Subject Highest Answer Letter: E

Multiple Keywords in Same Paragraph: No

**Chapter: Chapter 01 – Practice Activities** 

#### **Multiple Choice**

- 1. Within an object, actions are modeled using:
- A) variables.
- B) classes.
- C) methods.
- D) constants.
- E) None of these is correct.

Ans: C

Complexity: Easy

Ahead: Classes, Objects, and Applications

Subject: Chapter 1

2. Suppose that class ClassX is defined without an explicit superclass and with exactly two methods, methodA and methodB. The following legal application code is created:

```
ClassX objectX = new ClassX();
System.out.println(objectX.toString());
```

This will result in:

- A) an exception being thrown no such method.
- B) the invocation of the Object class's toString method.
- C) the string "object" appearing in the output stream.
- D) polymorphism.
- E) None of these is correct.

Ans: B

Complexity: Moderate Ahead: Organizing Classes

Subject: Chapter 1

3. Which of the following structures did we classify as "implementation dependent"?

- A) Sorted List
- B) Graph
- C) Linked List
- D) Tree
- E) None of these is correct.

Ans: C

Complexity: Easy

Ahead: Data Structures Subject: Chapter 1

- 4. The following is a "reference" type.
- A) int
- B) long
- C) boolean
- D) String
- E) None of these is correct.

Ans: D

Complexity: Moderate

Ahead: Basic Structuring Mechanisms

Subject: Chapter 1

- 5. A(n) \_\_\_\_\_ defines the structure of an object or a set of objects.
- A) class
- B) attribute
- C) application
- D) constructor
- E) method

Ans: A

Complexity: Easy

Ahead: Classes, Objects, and Applications

Subject: Chapter 1

- 6. Objects can represent both:
- A) space and time efficiency.
- B) variables and constants.
- C) information and behavior.
- D) classes and inheritance.
- E) methods and constructors.

Ans: C

Complexity: Easy

Ahead: Classes, Objects, and Applications

- 7. This structure is "last in, first out."
- A) Array
- B) Map
- C) Stack
- D) Queue
- E) Tree Ans: C

Complexity: Easy Ahead: Data Structures Subject: Chapter 1

- 8. This structure is "first in, first out."
- A) Array
- B) Map
- C) Stack
- D) Queue
- E) Tree

Ans: D

Complexity: Easy Ahead: Data Structures Subject: Chapter 1

#### True/False

1. True or False? An object defines the structure of a class.

Ans: False

Complexity: Easy

Ahead: Classes, Objects, and Applications

Subject: Chapter 1

2. True or False? Subclasses are assignment compatible with the superclasses above them in the inheritance hierarchy.

Ans: True

Complexity: Moderate Ahead: Organizing Classes

3. True or False? When handling an exception explicitly, it is best to do so at the lowest level of abstraction that can recover from the error.

Ans: True

Complexity: Easy

Ahead: Exceptional Situations

Subject: Chapter 1

4. True or False? The following code results in garbage being created.

```
Circle c1 = new Circle(8);
Circle c2 = new Circle(5);
c2 = c1;
```

Ans: True

Complexity: Moderate

Ahead: Basic Structuring Mechanisms

Subject: Chapter 1

5. True or False? If the Java compiler cannot find a method defined in an object's class definition, it will look in the definition of the class's superclass.

Ans: True

Complexity: Easy

Ahead: Organizing Classes

Subject: Chapter 1

6. True or False? Java supports double inheritance, i.e., a class can have more than one superclass.

Ans: False

Complexity: Easy

Ahead: Organizing Classes

Subject: Chapter 1

7. True or False? All Java method arguments are passed "by reference."

Ans: False

Complexity: Moderate

Ahead: Basic Structuring Mechanisms

Subject: Chapter 1

**Short Answer** 

When defining an exception, a common approach is to create constructors that just call the constructors of the  Ans: superclass or exception class  Complexity: Difficult  Ahead: Exceptional Situations  Subject: Chapter 1
2. The first programming language to support object-oriented programming was  Ans: Simula 67  Complexity: Difficult  Ahead: Classes, Objects, and Applications  Subject: Chapter 1
3. The Java reserved word indicates inheritance, i.e., we write "subclass superclass" (one word fits in both blanks).  Ans: extends  Complexity: Moderate  Ahead: Organizing Classes  Subject: Chapter 1
4. To access the contents of a package from within a program, you must the package into your program (answer with a Java reserved word).  Ans: import  Complexity: Moderate  Ahead: Organizing Classes  Subject: Chapter 1